

2015 Research Strip Test

John Broxterman

Axtell, KS

Hybrid	552PR- CHECK		BU	%	Moist. %	TW	Yield Rank
	178.5	Average					
Days							
552PR- Check	112		178.5				
XP108-1SS	108		180.5	98%			
344PRW	108		174.9	95%			
436VLG	110		184.1	100%			
425SS	111		176.7	96%			
XP110-1PR	111		191.8	104%			6
534PRW	112		198.6	108%			2
552PR- Check	112		178.5				
573PRW	112		195.3	106%			3
XP112-3PR	112		191.0	104%			7
XP112-2-PRW	113		185.2	101%			
622PRW	113		171.4	93%			
653PR	113		192.7	105%			5
552PR- Check	112		178.5				
594PR DG	113		184.9	101%			
656PR	113		200.7	109%			1
XP112-4PRDG	113		185.2	101%			
XP112-5(2)PRW	113		192.9	105%			4
624PRW	114		179.5	98%			
552PR- Check	112		178.5	97%			
XP113-3(2)SS	114		181.9	99%			
714PRW	115		179.4	98%			
775PR DG	115		167.8	91%			
735PRW	116		180.3	98%			
XP115-1PR	116		184.9	101%			
XP115-2PR	117		186.2	101%			
552PR- Check	112		178.5				
ALL AVG.			183.6	BU	0.0	0	



Plant 4/10/15
 Harvest 10/7/15
 Population 26,300

UPPER YIELD GROUP



*All Yields are adjusted for moisture and by calculating check yield from the two nearest 552PR Checks.