

Ottawa, KS Replicated Test



Planted 6/7/16	Yield	% of avg.	Rank	Moist.	Id#
X4.4-1X*	86.7	117%	1	9.9	237480
4677NXS*	83.6	113%	2	10.6	237484
X4.8-3X	79.8	108%	3	10.2	237489
4956NXS	79.7	108%	4	10.5	237490
X4.3-2R*	79.7	108%	5	10.2	237478
Asgrow 4135*	79.3	107%	6	9.6	237467
3887NX*	79.2	107%	7	10.0	237456
4963NRS2	79.2	107%	8	10.1	237486
X4.4-2X	78.7	107%	9	10.3	237481
X4.8-2X*	77.9	106%	10	10.6	237488
X4.8-1R	77.0	104%	11	10.4	237487
Asgrow 3832*	76.0	103%	12	10.0	237458
X3.9-1R	75.2	102%	13	10.0	237465
3983NR2	75.2	102%	14	10.2	237462
X4.6-1R	75.1	102%	15	10.0	237482
4373 Cru/Max llevo	75.0	102%	16	10.1	237474
4373 Cruiser/N-hibit	74.9	102%	17	10.0	237471
X4.9-2R*	74.9	101%	18	10.1	237492
4373 Cruiser	74.6	101%	19	9.9	237475
X4.9-3R*	74.5	101%	20	10.3	237493
X4.9-1X	73.9	100%	21	10.4	237491
4373NR2	73.7	100%	22	10.0	237476
NK 39-T3*	73.5	100%	23	10.7	237463
4373 Cru/ Force/ N-hibit	73.0	99%	24	10.1	237473
4373 Cru Max/Optimize	72.7	98%	25	10.2	237472
3633NR2	72.2	98%	26	9.9	237453
X3.8-2X	72.0	98%	27	9.9	237460
5286NRS2	72.0	98%	28	11.2	237494
X4.1-1R	71.8	97%	29	10.3	237468
X3.8-1X	71.8	97%	30	9.7	237459
AG 4531*	71.3	97%	31	10.1	248827
X3.6-1X	71.2	97%	32	10.2	237454
4506NRR	71.1	96%	33	10.0	237477
4247NXS	70.4	95%	34	10.1	237470
3926NRS2	70.3	95%	35	10.1	237461
X3.9-2R*	70.2	95%	36	10.4	237466
3657NR2	70.1	95%	37	10.1	237455
3465NR2	69.2	94%	38	10.5	237449
X3.5-1R	69.2	94%	39	9.9	237451
NK S45-V8*	69.1	94%	40	10.1	237483
3537NX	67.4	91%	41	10.4	237450
4797NRS2	66.6	90%	42	10.3	237485
X4.3-3R*	65.5	89%	43	9.6	237479
X4.1-2R	64.8	88%	44	9.9	237469
Pioneer 39T67R*	64.0	87%	45	10.0	237464
9A385NRS	63.7	86%	46	10.2	237457
3610NRR	61.3	83%	47	9.8	237452

AVG. 73.8 10.2

CVErr 7.7

LSD(.10) 7.7

*Treated varieties' yields were adjusted 2bu.