

2016 Research Strip Test



Willis, KS

| | | 573PR- CHECK | | Ross-Lockwood | | | | |
|----------------|------|--------------|---------|---------------|---------|----|----|------------|
| | | 148.3 | Average | | | | | Yield Rank |
| Hybrid | Days | | BU | % | Moist.% | TW | | |
| 573PR- Check | 112 | | 148.3 | | 15 | | | |
| 344PR | 108 | | 122.4 | 83% | 15.4 | | | |
| 347PR | 108 | | 133.9 | 90% | 15.4 | | | |
| XP109-1GT | 109 | | 146.4 | 99% | 14.7 | | | |
| 436VG | 110 | | 153.5 | 104% | 15.2 | | | |
| XP110-1PR | 110 | | 150.9 | 102% | 14.8 | | | |
| XP110-2PRW | 110 | | 147.6 | 100% | 14.8 | | | |
| 573PR- Check | 112 | | 148.3 | | 15.2 | | | |
| 534PR | 112 | | 127.6 | 86% | 15 | | | |
| XP112-1PR | 113 | | 164.4 | 111% | 14.4 | | 2 | |
| 594PR DG | 113 | | 161.1 | 109% | 15.2 | | T3 | |
| XP113-BLG | 113 | | 152.7 | 103% | 14.5 | | | |
| 653PR | 113 | | 143.1 | 97% | 14.3 | | | |
| 573PR- Check | 112 | | 148.3 | | 15 | | | |
| 656PR | 113 | | 161.6 | 109% | 14.8 | | T3 | |
| XP114-1PR | 114 | | 137.3 | 93% | 14.7 | | | |
| XP115-3(2)VLGW | 114 | | 148.6 | 100% | 14.7 | | | |
| 714PRW | 115 | | 141.9 | 96% | 15.7 | | | |
| 775PR DG | 115 | | 153.5 | 104% | 15.5 | | 5 | |
| 735PRW | 115 | | 145.7 | 98% | 15.3 | | | |
| 757PR | 115 | | 175.2 | 118% | 15.1 | | 1 | |
| 573PR- Check | 112 | | 148.3 | 100% | 15.6 | | | |
| ALL AVG. | | | 148.2 | BU | 15.0 | 0 | | |

Plant 4/15/16
 Harvest 10/29/16
 Population 26,300

UPPER YIELD GROUP



*All Yields are adjusted for moisture and by calculating check yield from the two nearest 573PR Checks.