



Nortonville, KS All Traits Replicated Test

Treated with conventional herbicides.

Planted 6/3/16

	Yield	% of avg.	Rank	Moist.	Id#
XP4.3-1NLL	80.4	109%	1	11.6	237499
3556NLL	78.5	107%	2	12.0	237495
4286NLL	78.0	106%	3	11.6	237498
3997NLL	76.8	104%	4	11.5	237497
X4.8-4C	76.4	104%	5	11.7	248819
X3.9-3C	76.1	104%	6	11.7	248812
XP3.7-8LL	75.6	103%	7	11.6	237496
X4.3-4C	75.3	102%	8	11.7	248816
X3.8-2C	74.6	102%	9	11.5	248811
XP4.5-1NLL	74.3	101%	10	11.6	237500
4055N	74.0	101%	11	11.3	248813
X4.1-3C	73.7	100%	12	11.8	248814
3537NX	73.6	100%	13	11.7	237450
3926NRS2	73.4	100%	14	11.7	237461
4416NLS	73.2	100%	15	11.9	248826
X4.2-1C	72.9	99%	16	12.0	248815
X4.3-5C	72.9	99%	17	11.8	248817
4247NXS	72.4	98%	18	11.6	237470
4373NR2	72.0	98%	19	11.4	237476
3465NR2	71.5	97%	21	12.2	237449
3657NR2	71.4	97%	22	11.6	237455
XP4.5-2NLL	71.3	97%	23	11.4	248801
X3.6-2C	70.7	96%	24	11.8	248810
3887NX*	69.7	95%	20	11.7	237456
3983NR2	69.7	95%	25	11.6	237462
X3.4-1C	69.3	94%	26	11.5	248809
3633NR2	68.8	94%	27	11.7	237453
X4.4-3C	68.2	93%	28	11.9	248818

AVG.	73.5	11.7
CVErr	6.1	1.5
LSD(.10)	6.1	0.2

**Treated varieties' yields were adjusted 2bu.*