

# Highland, KS Replicated Corn Test



	Yield	% of Avg	Rank	TW	#
X107-1(2)PR	238.5	98%	27	62.5	301103
228PR	222.7	91%	40	62.1	301104
X107- (2)PR	220.9	91%	41	61.5	301105
347PR	231.1	95%	36	60.6	301106
X108-1PR	270.1	111%	2	60.4	301107
344PR	232.7	95%	32	62.0	301108
X109-1GT	247.8	102%	16	59.6	301109
XP109-1	231.4	95%	35	62.8	301110
448PR	218.8	90%	42	61.6	301111
X110-1	281.9	116%	1	60.6	301112
436VLG	255.8	105%	9	61.1	301113
XP110-1PR	260.6	107%	5	62.4	301114
XP112-1PRDG	232.4	95%	34	61.9	301115
534PR	236.5	97%	29	63.3	301116
573PR	225.3	92%	38	63.7	301117
X112-3BLG	248.1	102%	14	64.6	301118
X113-1RR	243.0	100%	22	62.3	301119
622PRW	232.5	95%	33	62.4	301120
653PR	252.9	104%	10	63.7	301121
594PR DG	251.6	103%	11	61.4	301122
656PR	264.3	108%	4	63.4	301123
X113-2	247.8	102%	15	61.0	301124
X114-1PR	258.0	106%	8	62.7	301125
624PRW	236.7	97%	28	62.6	301126
668PR	246.2	101%	18	59.8	301127
XP114-1PR	241.4	99%	24	63.3	301128
X114-2PR	251.1	103%	12	60.8	301129
X115-1PR	264.9	109%	3	61.3	301130
XP115-2SS	242.6	100%	23	64.9	301131
714PRW	245.0	100%	19	61.7	301132
775PR DG	249.1	102%	13	62.7	301133
757PR	225.3	92%	39	63.3	301134
XP115-3SS	259.4	106%	7	64.0	301135
X115-3GT	235.8	97%	31	62.7	301136
735PR	239.5	98%	25	62.1	301137
XP115-1PR	259.4	106%	6	62.2	301138
656 Quick Roots	246.3	101%	17	63.5	301139
656 Untreated	239.1	98%	26	63.2	301140
656 BioST VPH	244.6	100%	20	63.4	301141
656 Zinc+Bio	243.9	100%	21	63.4	301142
GH 12W66 treated w/50	228.3	94%	37	63.8	301144
Dekalb 63-55	236.4	97%	30	61.8	301146
AVG.	243.8				
LSD(.10)	19.6				
CVErr	4.8				