

2018 Research Strip Test



Kevin Carothers

Parker, KS

| |
|----------------------|
| 573PR- CHECK |
| 143.1 Average |

Yield Rank

| Hybrid | Days | BU | % | Moist.% | TW | |
|--------------------------|------|--------------|-------------|------------|------------|----------|
| 573PR- Check | 112 | 143.1 | | | | |
| 344PR | 108 | 146.2 | 96% | | | |
| 347PR | 108 | 153.3 | 101% | | | |
| 349PR | 108 | 154.8 | 102% | | | |
| 429PR | 110 | 175.9 | 116% | | | 1 |
| XP112-1 PR | 112 | 152.7 | 101% | | | |
| 573PR- Check | 112 | 143.1 | | | | |
| 570SS (XP112-3SS) | 112 | 157.2 | 104% | | | 4 |
| 594PR DG | 113 | 155.3 | 102% | | | |
| XP113-2 PR | 113 | 156.0 | 103% | | | 5 |
| XP113-4PR | 113 | 146.6 | 97% | | | |
| 656PR | 113 | 169.5 | 112% | | | 2 |
| XP114-5 (3111) | 115 | 133.4 | 88% | | | |
| 573PR- Check | 112 | 143.1 | | | | |
| 669PR | 114 | 157.6 | 104% | | | 3 |
| 789PR | 115 | 144.8 | 95% | | | |
| XP115-1PR | 115 | 153.9 | 101% | | | |
| XP115-2SS | 115 | 149.4 | 98% | | | |
| 735PRW | 115 | 152.9 | 101% | | | |
| 757PR | 115 | 155.3 | 102% | | | |
| 573PR- Check | 112 | 143.1 | 94% | | | |
| ALL AVG. | | 151.8 | BU | 0.0 | 0.0 | |

Plant 4/30/2018

Harvest 9/26/2018

Population 26,100

UPPER YIELD GROUP



*All Yields are adjusted for moisture and by calculating check yield from the two nearest 573PR Checks.