

# Replicated Soybean Test

Glyphosate Test



**Scandia, KS**  
**Irrigated**

	Yield	% AVG	#
<b>4328NX Edge/Optimize/IN</b>	<b>52.5</b>	<b>112%</b>	322653
<b>3938NX</b>	<b>52.0</b>	<b>111%</b>	322645
<b>3926NRS2</b>	<b>49.3</b>	<b>105%</b>	322646
<b>4373NR2</b>	<b>49.2</b>	<b>105%</b>	322649
<b>4328NX</b>	<b>49.1</b>	<b>105%</b>	322647
<b>3983NR2</b>	<b>49.0</b>	<b>105%</b>	322644
<b>X4.2-1NX</b>	<b>48.5</b>	<b>104%</b>	322648
<b>3633NR2</b>	<b>48.1</b>	<b>103%</b>	322639
<b>4328NX Edge</b>	<b>48.1</b>	<b>103%</b>	322652
<b>X3.7-1NX *</b>	<b>47.6</b>	<b>102%</b>	322642
<b>4328NX Edge/Optimize</b>	<b>47.6</b>	<b>102%</b>	322651
<b>GH 43077X *</b>	<b>47.4</b>	<b>101%</b>	322668
<b>X3.8-1NX *</b>	<b>46.8</b>	<b>100%</b>	322643
<b>3983NR2 Edge</b>	<b>46.3</b>	<b>99%</b>	322655
<b>X3.4-1NX *</b>	<b>46.3</b>	<b>99%</b>	322637
<b>GH 3982X *</b>	<b>46.2</b>	<b>99%</b>	322667
<b>X4.3NX-1</b>	<b>45.8</b>	<b>98%</b>	322650
<b>X3.6-1NX *</b>	<b>44.6</b>	<b>96%</b>	322640
<b>3537NX</b>	<b>44.6</b>	<b>95%</b>	322638
<b>4488NXS</b>	<b>42.8</b>	<b>92%</b>	322656
<b>X3.3-1NX *</b>	<b>42.7</b>	<b>91%</b>	322636
<b>Asgrow 41x8 *</b>	<b>42.0</b>	<b>90%</b>	322669
<b>3779NXS</b>	<b>41.8</b>	<b>89%</b>	322641
<b>X3.2-2NX *</b>	<b>39.0</b>	<b>84%</b>	322635

**AVG 46.7**  
CVErr 8.6%  
LSD(.10) 5.5

Planted 5/17/18  
No till  
Previous crop-corn

\* Treated seed-yield adjusted