



**NORTHEAST  
KANSAS  
REPLICATED TESTS**

**HIAWATHA, KS**

Date Planted: 4/24/2019

Date Harvested: 10/16/2019

<b>RANK</b>	<b>HYBRID</b>	<b>YIELD</b>	<b>PAVG</b>	<b>TW</b>
1	XP105-4SS	196.7	121%	59
2	GH 13N18	195.4	120%	58
3	XP110-4PR	189.9	117%	59
4	X115-7 PR	189.1	116%	59
5	XP108-3 BLG	187.9	116%	59
6	770PR DG	186.3	115%	59
7	656 Votivo2.0	186.2	115%	61
8	XP111-1 VLG	185.9	115%	59
9	594PR DG	184.8	114%	59
10	XP112-1PR	184.5	114%	58
11	349PR	183.8	113%	60
12	Pioneer P1366	183.1	113%	60
13	X114-1PR	183.0	113%	62
14	790SS	180.8	111%	58
15	XP115-2SS	180.3	111%	59
16	Dekalb 64-95	180.0	111%	60
17	X109-1PR	177.9	110%	58
18	Channel 215-60TRE	177.4	109%	60
19	XP115-5BLG	177.0	109%	60
20	X110-2TC	177.0	109%	60
21	X107-2BLGH	176.8	109%	61
22	X113-3	174.0	107%	61
23	570PR	173.2	107%	67
24	XP105-6BLG	171.6	106%	59
25	XP115-3 SS	171.5	106%	62
26	X113-4 SS	171.3	105%	59
27	735PR	170.7	105%	61
28	775PR DG	169.3	104%	60
29	X110-3PR	169.3	104%	60
30	NK0388	168.3	104%	59
31	669PR	168.3	104%	61
32	X117-1	167.2	103%	60
33	429PR	166.8	103%	58
34	XP108-2 BLG	166.7	103%	61
35	XP115-4TR	166.1	102%	58
36	X108-1SS	163.4	101%	58
37	150PRX	162.5	100%	60
38	656PR	160.8	99%	58
39	757PR	157.1	97%	59
40	X107-1	156.4	96%	62
41	347PR	156.3	96%	61
42	X112-2BLG	152.8	94%	60
43	430PR	151.0	93%	60
44	XP105-5SS	145.7	90%	58
45	X112-3 VLG	141.5	87%	61
46	656PR Bio core	139.1	86%	61
47	XP105-5PR	138.2	85%	59
48	668PR	127.4	78%	59

Mn 162.3  
LSD(.10) 28.0  
CVErr 10.3